



Mercedes-Benz

B-Class Sports Tourer B180 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Model variant number	246200
Restriction code	
Market launch	2011.11
Displacement (cm ³)	1.796
Rated output (kW [PS] @ rpm) 1)	80 [109]/3200-4.600
Rated torque (Nm @ rpm) 1)	250/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	10,9
Top speed (km/h)	190

Engine and performance (DCT automated manual transmission)	
Arrangement/no. of cylinders	L4
Model variant number	246200
Restriction code	
Market launch	2012.02
Displacement (cm ³)	1.796
Rated output (kW [PS] @ rpm) 1)	80 [109]/3200-4.600
Rated torque (Nm @ rpm) 1)	250/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	10,7
Top speed (km/h)	190

Power transmission (6-speed (manual))	
Drive system	Front-wheel drive
Transmission	6-speed (manual)
Ratios	3,94/2,19/1,22/0,86/0,72/0,59/-/R1 3,12/R2 -
Final-drive ratio	3,348

Power transmission (DCT automated manual transmission)	
Drive system	Front-wheel drive
Transmission	DCT automated manual transmission
Ratios	3,86/2,43/2,67/1,05/0,78/1,05/0,84/R 3,38
Final-drive ratio	4,133

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	5,6-5,4
Fuel consumption, extra-urban (l/100km) 2)	4,1-3,8
Fuel consumption, combined (l/100km) 2)	4,6-4,4
CO2 emissions combined (g/km) 2)	121-114
32259	A
Emissions category	Euro 5



B-Class Sports Tourer B180 CDI BlueEFFICIENCY.

Fuel and emissions (DCT automated manual transmission)	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	5,5-5,3
Fuel consumption, extra-urban (l/100km) 2)	4,2-3,9
Fuel consumption, combined (l/100km) 2)	4,7-4,4
CO2 emissions combined (g/km) 2)	122-115
32259	A
Emissions category	Euro 5

Chassis and steering	
Front axle	Spring strut+wishbone
Rear axle	Wishbones + control arms
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	195/65 R 15 91 T
Tyres/wheels, rear	195/65 R 15 91 T
Steering	no details
Front brakes	Discs, internally ventilated
Rear brakes	Discs, solid

Vehicle identification	
Insurance rating	
Insurance category liability/FC/partial	17/20/21

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.475/555
Perm. gross vehicle weight (kg)	2.030
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	735/1.200
Permissible drawbar load (kg)	75
Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.557
Cd value	0,27
Track width, front (mm)	1.552
Track width, rear (mm)	1.549
Wheelbase (mm)	2.699

Quantities, dimensions and weights (DCT automated manual transmission)	
Kerb weight/payload (kg) 3)	1.505/515
Perm. gross vehicle weight (kg)	2.025
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	750/1.200
Permissible drawbar load (kg)	75



Mercedes-Benz

B-Class Sports Tourer B180 CDI BlueEFFICIENCY.

Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.557
Cd value	0,27
Track width, front (mm)	1.552
Track width, rear (mm)	1.549
Wheelbase (mm)	2.699

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



B-Class Sports Tourer B200 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Model variant number	246201
Restriction code	
Market launch	2011.11
Displacement (cm ³)	1.796
Rated output (kW [PS] @ rpm) 1)	100 [136]/3600-4.400
Rated torque (Nm @ rpm) 1)	300/1.600 - 3.000
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	9,5
Top speed (km/h)	210

Engine and performance (DCT automated manual transmission)	
Arrangement/no. of cylinders	L4
Model variant number	246201
Restriction code	
Market launch	2012.02
Displacement (cm ³)	1.796
Rated output (kW [PS] @ rpm) 1)	100 [136]/3600-4.400
Rated torque (Nm @ rpm) 1)	300/1.600 - 3.000
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	9,3
Top speed (km/h)	210

Power transmission (6-speed (manual))	
Drive system	Front-wheel drive
Transmission	6-speed (manual)
Ratios	3,94/2,19/1,22/0,86/0,72/0,59/-/R1 3,12/R2 -
Final-drive ratio	3,348

Power transmission (DCT automated manual transmission)	
Drive system	Front-wheel drive
Transmission	DCT automated manual transmission
Ratios	3,86/2,43/2,67/1,05/0,78/1,05/0,84/R 3,38
Final-drive ratio	4,133

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	5,6-5,4
Fuel consumption, extra-urban (l/100km) 2)	4,1-3,8
Fuel consumption, combined (l/100km) 2)	4,6-4,4
CO2 emissions combined (g/km) 2)	121-115
32259	A
Emissions category	Euro 5



B-Class Sports Tourer B200 CDI BlueEFFICIENCY.

Fuel and emissions (DCT automated manual transmission)	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	5,5-5,3
Fuel consumption, extra-urban (l/100km) 2)	4,2-3,9
Fuel consumption, combined (l/100km) 2)	4,7-4,4
CO2 emissions combined (g/km) 2)	122-116
32259	A
Emissions category	Euro 5

Chassis and steering	
Front axle	Spring strut+wishbone
Rear axle	Wishbones + control arms
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	205/55 R 16 91 H
Tyres/wheels, rear	205/55 R 16 91 H
Steering	no details
Front brakes	Discs, internally ventilated
Rear brakes	Discs, solid

Vehicle identification	
Insurance rating	
Insurance category liability/FC/partial	18/21/21

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.475/555
Perm. gross vehicle weight (kg)	2.030
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	735/1.400
Permissible drawbar load (kg)	75
Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.558
Cd value	0,27
Track width, front (mm)	1.548
Track width, rear (mm)	1.545
Wheelbase (mm)	2.699

Quantities, dimensions and weights (DCT automated manual transmission)	
Kerb weight/payload (kg) 3)	1.505/515
Perm. gross vehicle weight (kg)	2.025
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	750/1.400
Permissible drawbar load (kg)	75



Mercedes-Benz

B-Class Sports Tourer B200 CDI BlueEFFICIENCY.

Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.558
Cd value	0,27
Track width, front (mm)	1.548
Track width, rear (mm)	1.545
Wheelbase (mm)	2.699

- 1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.
- 2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer
- 3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



B-Class Sports Tourer B180 BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Model variant number	246242
Restriction code	
Market launch	2011.11
Displacement (cm ³)	1.595
Rated output (kW [PS] @ rpm) 1)	90 [122]/5.000
Rated torque (Nm @ rpm) 1)	200/1.250 - 4.000
Compression ratio	10,3 : 1
Acceleration 0-100 km/h (s)	10,4
Top speed (km/h)	190

Engine and performance (DCT automated manual transmission)	
Arrangement/no. of cylinders	L4
Model variant number	246242
Restriction code	
Market launch	2012.02
Displacement (cm ³)	1.595
Rated output (kW [PS] @ rpm) 1)	90 [122]/5.000
Rated torque (Nm @ rpm) 1)	200/1.250 - 4.000
Compression ratio	10,3 : 1
Acceleration 0-100 km/h (s)	10,2
Top speed (km/h)	190

Power transmission (6-speed (manual))	
Drive system	Front-wheel drive
Transmission	6-speed (manual)
Ratios	4,31/2,44/1,35/0,94/0,82/0,70/-/R1 3,38/R2 -
Final-drive ratio	3,348

Power transmission (DCT automated manual transmission)	
Drive system	Front-wheel drive
Transmission	DCT automated manual transmission
Ratios	3,86/2,43/2,90/1,19/0,87/1,16/0,94/R 3,10
Final-drive ratio	4,133

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	8,3-8,0
Fuel consumption, extra-urban (l/100km) 2)	5,0-4,7
Fuel consumption, combined (l/100km) 2)	6,2-5,9
CO2 emissions combined (g/km) 2)	144-137
32259	C
Emissions category	Euro 5



B-Class Sports Tourer B180 BlueEFFICIENCY.

Fuel and emissions (DCT automated manual transmission)	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	8,3-7,9
Fuel consumption, extra-urban (l/100km) 2)	5,0-4,7
Fuel consumption, combined (l/100km) 2)	6,2-5,9
CO2 emissions combined (g/km) 2)	145-137
32259	C
Emissions category	Euro 5

Chassis and steering	
Front axle	Spring strut+wishbone
Rear axle	Wishbones + control arms
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	195/65 R 15 91 T
Tyres/wheels, rear	195/65 R 15 91 T
Steering	no details
Front brakes	Discs, internally ventilated
Rear brakes	Discs, solid

Vehicle identification	
Insurance rating	
Insurance category liability/FC/partial	17/19/17

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.395/565
Perm. gross vehicle weight (kg)	1.960
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	695/1.200
Permissible drawbar load (kg)	75
Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.557
Cd value	0,26
Track width, front (mm)	1.552
Track width, rear (mm)	1.549
Wheelbase (mm)	2.699

Quantities, dimensions and weights (DCT automated manual transmission)	
Kerb weight/payload (kg) 3)	1.425/525
Perm. gross vehicle weight (kg)	1.950
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	710/1.200
Permissible drawbar load (kg)	75



Mercedes-Benz

B-Class Sports Tourer B180 BlueEFFICIENCY.

Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.557
Cd value	0,26
Track width, front (mm)	1.552
Track width, rear (mm)	1.549
Wheelbase (mm)	2.699

- 1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.
- 2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer
- 3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



Mercedes-Benz

B-Class Sports Tourer B200 BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Model variant number	246243
Restriction code	
Market launch	2011.11
Displacement (cm ³)	1.595
Rated output (kW [PS] @ rpm) 1)	115 [156]/5.300
Rated torque (Nm @ rpm) 1)	250/1.250 - 4.000
Compression ratio	10,3 : 1
Acceleration 0-100 km/h (s)	8,6
Top speed (km/h)	220

Engine and performance (DCT automated manual transmission)	
Arrangement/no. of cylinders	L4
Model variant number	246243
Restriction code	
Market launch	2012.02
Displacement (cm ³)	1.595
Rated output (kW [PS] @ rpm) 1)	115 [156]/5.300
Rated torque (Nm @ rpm) 1)	250/1.250 - 4.000
Compression ratio	10,3 : 1
Acceleration 0-100 km/h (s)	8,4
Top speed (km/h)	220

Power transmission (6-speed (manual))	
Drive system	Front-wheel drive
Transmission	6-speed (manual)
Ratios	4,13/2,44/1,35/0,94/0,82/0,70/-/R1 3,38/R2 -
Final-drive ratio	3,348

Power transmission (DCT automated manual transmission)	
Drive system	Front-wheel drive
Transmission	DCT automated manual transmission
Ratios	3,86/2,43/2,90/1,19/0,87/1,16/0,94/R 3,10
Final-drive ratio	4,133

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	8,3-8,0
Fuel consumption, extra-urban (l/100km) 2)	5,0-4,7
Fuel consumption, combined (l/100km) 2)	6,2-5,9
CO2 emissions combined (g/km) 2)	144-138
32259	C
Emissions category	Euro 5



B-Class Sports Tourer B200 BlueEFFICIENCY.

Fuel and emissions (DCT automated manual transmission)	
Tank capacity/reserve (l)	50/6,0
Fuel consumption, urban (l/100km) 2)	8,3-7,9
Fuel consumption, extra-urban (l/100km) 2)	5,0-4,7
Fuel consumption, combined (l/100km) 2)	6,2-5,9
CO2 emissions combined (g/km) 2)	145-138
32259	C
Emissions category	Euro 5

Chassis and steering	
Front axle	Spring strut+wishbone
Rear axle	Wishbones + control arms
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	205/55 R 16 V
Tyres/wheels, rear	205/55 R 16 V
Steering	no details
Front brakes	Discs, internally ventilated
Rear brakes	Discs, solid

Vehicle identification	
Insurance rating	
Insurance category liability/FC/partial	17/20/17

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.395/565
Perm. gross vehicle weight (kg)	1.960
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	695/1.400
Permissible drawbar load (kg)	75
Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.558
Cd value	0,27
Track width, front (mm)	1.548
Track width, rear (mm)	1.545
Wheelbase (mm)	2.699

Quantities, dimensions and weights (DCT automated manual transmission)	
Kerb weight/payload (kg) 3)	1.425/525
Perm. gross vehicle weight (kg)	1.950
Max. roof load (kg)	75
Boot capacity (VDA) min/max (l)	486/1.545
perm. trailer load, braked/unbraked (kg)	710/1.400
Permissible drawbar load (kg)	75



Mercedes-Benz

B-Class Sports Tourer B200 BlueEFFICIENCY.

Turning circle (m)	11,00
Vehicle length (mm)	4.359
Vehicle width (mm)	1.786
Vehicle height at kerb weight (mm)	1.558
Cd value	0,27
Track width, front (mm)	1.548
Track width, rear (mm)	1.545
Wheelbase (mm)	2.699

- 1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.
- 2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer
- 3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly