



## C-Class Estate C 180 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	88 /2800-4.600
Rated torque (Nm @ rpm) 1)	300/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	10,8
Top speed (km/h)	201

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	88 /3000-4.600
Rated torque (Nm @ rpm) 1)	300/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	11,1
Top speed (km/h)	200

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	5,01/2,83/1,79/1,26/1,00/0,83/-/R1 4,57/R2 -
Final-drive ratio	2,47

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,0-6,4
Fuel consumption, extra-urban (l/100km) 2)	4,1-4,8
Fuel consumption, combined (l/100km) 2)	4,8-5,4
CO2 emissions combined (g/km) 2)	127-141
Cd value	0,29
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,2-6,5
Fuel consumption, extra-urban (l/100km) 2)	4,5-4,9
Fuel consumption, combined (l/100km) 2)	5,1-5,5
CO2 emissions combined (g/km) 2)	134-144
Cd value	0,29



## C-Class Estate C 180 CDI BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 V
Tyres/wheels, rear	205/55 R 16 91 V
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.615/540
Perm. gross vehicle weight (kg)	2.155
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.645/540
Perm. gross vehicle weight (kg)	2.185
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

- 1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.
- 2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer
- 3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 200 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	100 /2800-4.600
Rated torque (Nm @ rpm) 1)	360/1.600 - 2.600
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	9,6
Top speed (km/h)	209

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	100 /2800-4.600
Rated torque (Nm @ rpm) 1)	360/1.600 - 2.600
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	9,5
Top speed (km/h)	207

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	5,01/2,83/1,79/1,26/1,00/0,83/-/R1 4,57/R2 -
Final-drive ratio	2,47

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,0-6,4
Fuel consumption, extra-urban (l/100km) 2)	4,1-4,8
Fuel consumption, combined (l/100km) 2)	4,8-5,4
CO2 emissions combined (g/km) 2)	127-141
Cd value	0,29
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,2-6,5
Fuel consumption, extra-urban (l/100km) 2)	4,5-4,9
Fuel consumption, combined (l/100km) 2)	5,1-5,5
CO2 emissions combined (g/km) 2)	134-144
Cd value	0,29



## C-Class Estate C 200 CDI BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 V
Tyres/wheels, rear	205/55 R 16 91 V
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.615/540
Perm. gross vehicle weight (kg)	2.155
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.645/540
Perm. gross vehicle weight (kg)	2.185
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 220 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	125 /3000-4.200
Rated torque (Nm @ rpm) 1)	400/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	8,5
Top speed (km/h)	219

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	125 /3000-4.200
Rated torque (Nm @ rpm) 1)	400/1.400 - 2.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	8,3
Top speed (km/h)	219

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	5,01/2,83/1,79/1,26/1,00/0,83/-/R1 4,57/R2 -
Final-drive ratio	2,24

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,0-6,3
Fuel consumption, extra-urban (l/100km) 2)	4,0-4,5
Fuel consumption, combined (l/100km) 2)	4,7-5,2
CO2 emissions combined (g/km) 2)	124-135
Cd value	0,29
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,3-6,4
Fuel consumption, extra-urban (l/100km) 2)	4,3-4,6
Fuel consumption, combined (l/100km) 2)	5,1-5,3
CO2 emissions combined (g/km) 2)	134-138
Cd value	0,29



## C-Class Estate C 220 CDI BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 V
Tyres/wheels, rear	205/55 R 16 91 V
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.655/540
Perm. gross vehicle weight (kg)	2.195
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.665/540
Perm. gross vehicle weight (kg)	2.205
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 250 CDI 4MATIC BlueEFFICIENCY (ECO Start-Stopp).

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	150 /4.200
Rated torque (Nm @ rpm) 1)	500/1.600 - 1.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	7,4
Top speed (km/h)	237

Power transmission (7G-TRONIC PLUS)	
Drive system	Permanent four-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,7-6,9
Fuel consumption, extra-urban (l/100km) 2)	4,8-5,1
Fuel consumption, combined (l/100km) 2)	5,5-5,8
CO <sub>2</sub> emissions combined (g/km) 2)	147-155
Cd value	0,29
Emissions category	Euro 5

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 V
Tyres/wheels, rear	205/55 R 16 91 V
Steering	hydraulic rack-and-pinion steering system without power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs, internally ventilated

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.735/540
Perm. gross vehicle weight (kg)	2.275
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently



Mercedes-Benz

## C-Class Estate C 250 CDI 4MATIC BlueEFFICIENCY (ECO Start-Stopp).

applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 250 CDI BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	150 /4.200
Rated torque (Nm @ rpm) 1)	500/1.600 - 1.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	7,3
Top speed (km/h)	238

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	2.143
Rated output (35) 1)	150 /4.200
Rated torque (Nm @ rpm) 1)	500/1.600 - 1.800
Compression ratio	16,2 : 1
Acceleration 0-100 km/h (s)	7,4
Top speed (km/h)	237

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	5,10/2,78/1,75/1,25/1,00/0,81/-/R1 4,62/R2 -
Final-drive ratio	2,47

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,3-6,7
Fuel consumption, extra-urban (l/100km) 2)	4,1-4,6
Fuel consumption, combined (l/100km) 2)	4,9-5,4
CO2 emissions combined (g/km) 2)	128-141
Cd value	0,29
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	6,3-6,4
Fuel consumption, extra-urban (l/100km) 2)	4,3-4,6
Fuel consumption, combined (l/100km) 2)	5,1-5,3
CO2 emissions combined (g/km) 2)	134-138
Cd value	0,29



## C-Class Estate C 250 CDI BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 W
Tyres/wheels, rear	205/55 R 16 91 W
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs, internally ventilated

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.675/540
Perm. gross vehicle weight (kg)	2.215
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.675/540
Perm. gross vehicle weight (kg)	2.215
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 350 CDI 4MATIC BlueEFFICIENCY.

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	V6
Displacement (cm <sup>3</sup> )	2.987
Rated output (35) 1)	170 /3.800
Rated torque (Nm @ rpm) 1)	540/1.600 - 2.400
Compression ratio	15,5 : 1
Acceleration 0-100 km/h (s)	6,5
Top speed (km/h)	242

Power transmission (7G-TRONIC PLUS)	
Drive system	Permanent four-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	66/8
Fuel consumption, urban (l/100km) 2)	9,2-9,3
Fuel consumption, extra-urban (l/100km) 2)	6,0-6,4
Fuel consumption, combined (l/100km) 2)	7,2-7,4
CO2 emissions combined (g/km) 2)	191-195
Cd value	0,30
Emissions category	Euro 5

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	225/45 R 17 91Y
Tyres/wheels, rear	225/45 R 17 91Y
Steering	hydraulic rack-and-pinion steering system without power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs, internally ventilated

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.795/530
Perm. gross vehicle weight (kg)	2.325
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently



Mercedes-Benz

## C-Class Estate C 350 CDI 4MATIC BlueEFFICIENCY.

applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 350 CDI BlueEFFICIENCY.

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	V6
Displacement (cm <sup>3</sup> )	2.987
Rated output (35) 1)	195 /3.800
Rated torque (Nm @ rpm) 1)	620/1.600 - 2.400
Compression ratio	15,5 : 1
Acceleration 0-100 km/h (s)	6,3
Top speed (km/h)	250

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,47

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	66/8
Fuel consumption, urban (l/100km) 2)	7,3-7,4
Fuel consumption, extra-urban (l/100km) 2)	5,4-5,4
Fuel consumption, combined (l/100km) 2)	6,0-6,2
CO2 emissions combined (g/km) 2)	159-162
Cd value	0,30
Emissions category	Euro 5

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	225/45 R 17 91Y
Tyres/wheels, rear	225/45 R 17 91Y
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs, internally ventilated

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.760/530
Perm. gross vehicle weight (kg)	2.290
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently



Mercedes-Benz

## C-Class Estate C 350 CDI BlueEFFICIENCY.

applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 180 BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	1.796
Rated output (35) 1)	115 /5.000
Rated torque (Nm @ rpm) 1)	250/1.600 - 4.200
Compression ratio	9,8 : 1
Acceleration 0-100 km/h (s)	9,2
Top speed (km/h)	218

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	1.796
Rated output (35) 1)	115 /5.000
Rated torque (Nm @ rpm) 1)	250/1.600 - 4.200
Compression ratio	9,8 : 1
Acceleration 0-100 km/h (s)	9,1
Top speed (km/h)	216

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	4,99/2,82/1,78/1,25/1,00/0,82/-/R1 4,54/R2 -
Final-drive ratio	2,87

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	3,07

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	9,3-9,9
Fuel consumption, extra-urban (l/100km) 2)	5,4-6,1
Fuel consumption, combined (l/100km) 2)	6,8-7,5
CO2 emissions combined (g/km) 2)	160-176
Cd value	0,30
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	8,7-9,0
Fuel consumption, extra-urban (l/100km) 2)	5,4-5,8
Fuel consumption, combined (l/100km) 2)	6,6-7,0
CO2 emissions combined (g/km) 2)	155-163
Cd value	0,30



## C-Class Estate C 180 BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 V
Tyres/wheels, rear	205/55 R 16 91 V
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.540/540
Perm. gross vehicle weight (kg)	2.080
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.555/540
Perm. gross vehicle weight (kg)	2.095
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 200 BlueEFFICIENCY.

Engine and performance (6-speed (manual))	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	1.796
Rated output (35) 1)	135 /5.250
Rated torque (Nm @ rpm) 1)	270/1.800 - 4.600
Compression ratio	9,3 : 1
Acceleration 0-100 km/h (s)	8,4
Top speed (km/h)	228

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	1.796
Rated output (35) 1)	135 /5.250
Rated torque (Nm @ rpm) 1)	270/1.800 - 4.600
Compression ratio	9,3 : 1
Acceleration 0-100 km/h (s)	8,1
Top speed (km/h)	226

Power transmission (6-speed (manual))	
Drive system	Rear-wheel drive
Transmission	6-speed (manual)
Ratios	4,99/2,82/1,78/1,25/1,00/0,82/-/R1 4,54/R2 -
Final-drive ratio	2,87

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	3,07

Fuel and emissions (6-speed (manual))	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	9,6-10,2
Fuel consumption, extra-urban (l/100km) 2)	5,5-6,2
Fuel consumption, combined (l/100km) 2)	6,9-7,6
CO2 emissions combined (g/km) 2)	160-177
Cd value	0,30
Emissions category	Euro 5

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	8,9-9,1
Fuel consumption, extra-urban (l/100km) 2)	5,4-5,7
Fuel consumption, combined (l/100km) 2)	6,7-6,9
CO2 emissions combined (g/km) 2)	155-162
Cd value	0,30



## C-Class Estate C 200 BlueEFFICIENCY.

Emissions category	Euro 5
--------------------	--------

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 W
Tyres/wheels, rear	205/55 R 16 91 W
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (6-speed (manual))	
Kerb weight/payload (kg) 3)	1.560/540
Perm. gross vehicle weight (kg)	2.100
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.565/540
Perm. gross vehicle weight (kg)	2.105
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 250 BlueEFFICIENCY.

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	L4
Displacement (cm <sup>3</sup> )	1.796
Rated output (35) 1)	150 /5.500
Rated torque (Nm @ rpm) 1)	310/2.000 - 4.300
Compression ratio	9,3 : 1
Acceleration 0-100 km/h (s)	7,4
Top speed (km/h)	233

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	3,07

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	59/8
Fuel consumption, urban (l/100km) 2)	8,9-9,1
Fuel consumption, extra-urban (l/100km) 2)	5,4-5,7
Fuel consumption, combined (l/100km) 2)	6,7-6,9
CO2 emissions combined (g/km) 2)	155-162
Cd value	0,30
Emissions category	Euro 5

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	205/55 R 16 91 W
Tyres/wheels, rear	205/55 R 16 91 W
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.575/540
Perm. gross vehicle weight (kg)	2.115
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently



Mercedes-Benz

## C-Class Estate C 250 BlueEFFICIENCY.

applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 350 BlueEFFICIENCY.

Engine and performance (7G-TRONIC PLUS)	
Arrangement/no. of cylinders	V6
Displacement (cm <sup>3</sup> )	3.498
Rated output (35) 1)	225 /6.500
Rated torque (Nm @ rpm) 1)	370/3.500 - 5.250
Compression ratio	12,0 : 1
Acceleration 0-100 km/h (s)	6,1
Top speed (km/h)	250

Power transmission (7G-TRONIC PLUS)	
Drive system	Rear-wheel drive
Transmission	7G-TRONIC PLUS
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 3,42/R2 2,23
Final-drive ratio	2,82

Fuel and emissions (7G-TRONIC PLUS)	
Tank capacity/reserve (l)	66/8
Fuel consumption, urban (l/100km) 2)	9,7-9,9
Fuel consumption, extra-urban (l/100km) 2)	5,6-5,8
Fuel consumption, combined (l/100km) 2)	7,1-7,3
CO2 emissions combined (g/km) 2)	165-170
Cd value	0,30
Emissions category	Euro 5

Chassis and steering	
Front axle	Multi-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure with SDD/Coil spring, Single-tube gas pressure with SDD
Tyres/wheels, front	225/45 R 17 91Y
Tyres/wheels, rear	225/45 R 17 91Y
Steering	hydraulic rack-and-pinion steering system with power steering regulation
Front brakes	Discs, internally ventilated
Rear brakes	Discs, internally ventilated

Quantities, dimensions and weights (7G-TRONIC PLUS)	
Kerb weight/payload (kg) 3)	1.670/540
Perm. gross vehicle weight (kg)	2.210
Max. roof load (kg)	100
Boot capacity (VDA) (l)	485-1.500
Turning circle (m)	10,84
perm. trailer load, braked/unbraked (kg)	750/1.800

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently



Mercedes-Benz

## C-Class Estate C 350 BlueEFFICIENCY.

applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 63 AMG.

Engine and performance (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Arrangement/no. of cylinders	V8
Displacement (cm <sup>3</sup> )	6.208
Rated output (35) 1)	336 /6.800
Rated torque (Nm @ rpm) 1)	600/5.000
Compression ratio	11,3 : 1
Acceleration 0-100 km/h (s)	4,5
Top speed (km/h)	250

Power transmission (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Drive system	Rear-wheel drive
Transmission	AMG SPEEDSHIFT MCT 7-speed sports transmission
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 k. A./R2 k. A.
Final-drive ratio	k. A.

Fuel and emissions (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Tank capacity/reserve (l)	66/14
Fuel consumption, urban (l/100km) 2)	18,6-18,6
Fuel consumption, extra-urban (l/100km) 2)	8,5-8,5
Fuel consumption, combined (l/100km) 2)	12,2-12,2
CO2 emissions combined (g/km) 2)	285-285
Cd value	k. A.
Emissions category	Euro 5

Chassis and steering	
Front axle	Three-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	235/40 R 18
Tyres/wheels, rear	255/35 R 18
Steering	hydraulic speed-sensitive rack-and-pinion steering
Front brakes	Discs, internally ventilated and perforated
Rear brakes	Discs, internally ventilated and perforated

Quantities, dimensions and weights (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Kerb weight/payload (kg) 3)	1.795/480
Perm. gross vehicle weight (kg)	2.275
Max. roof load (kg)	100
Boot capacity (VDA) (l)	k. A.-k. A.
Turning circle (m)	11,10
perm. trailer load, braked/unbraked (kg)	k. A./k. A.

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the



Mercedes-Benz

## C-Class Estate C 63 AMG.

different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly



## C-Class Estate C 63 AMG (Performance Package).

Engine and performance (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Arrangement/no. of cylinders	V8
Displacement (cm <sup>3</sup> )	6.208
Rated output (35) 1)	358 /6.800
Rated torque (Nm @ rpm) 1)	600/5.000
Compression ratio	11,3 : 1
Acceleration 0-100 km/h (s)	4,4
Top speed (km/h)	250

Power transmission (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Drive system	Rear-wheel drive
Transmission	AMG SPEEDSHIFT MCT 7-speed sports transmission
Ratios	4,38/2,86/1,92/1,37/1,00/0,82/0,73/R1 k. A./R2 k. A.
Final-drive ratio	k. A.

Fuel and emissions (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Tank capacity/reserve (l)	66/14
Fuel consumption, urban (l/100km) 2)	18,6-18,6
Fuel consumption, extra-urban (l/100km) 2)	8,5-8,5
Fuel consumption, combined (l/100km) 2)	12,2-12,2
CO <sub>2</sub> emissions combined (g/km) 2)	285-285
Cd value	k. A.
Emissions category	Euro 5

Chassis and steering	
Front axle	Three-link
Rear axle	Multi-link independent suspension
Springs, front/rear	Coil spring, Double-tube gas pressure/Coil spring, Single tube gas pressure
Tyres/wheels, front	235/40 R 18
Tyres/wheels, rear	255/35 R 18
Steering	hydraulic speed-sensitive rack-and-pinion steering
Front brakes	Discs, internally ventilated and perforated
Rear brakes	Discs, internally ventilated and perforated

Quantities, dimensions and weights (AMG SPEEDSHIFT MCT 7-speed sports transmission)	
Kerb weight/payload (kg) 3)	1.795/480
Perm. gross vehicle weight (kg)	2.275
Max. roof load (kg)	100
Boot capacity (VDA) (l)	k. A.-k. A.
Turning circle (m)	11,10
perm. trailer load, braked/unbraked (kg)	k. A./k. A.

1) Rated output figures in accordance with Directive 80/1269/EEC in the currently applicable version.

2) The figures shown were obtained in accordance with the prescribed measuring processes (Directive 80/1268/EEC in the currently applicable version). The figures are not based on an individual vehicle and are provided solely for purposes of comparison between the



Mercedes-Benz

## C-Class Estate C 63 AMG (Performance Package).

different vehicle models. They do not constitute part of the product offer

3) Figures according to Directive 92 / 21 / EC, version 95 / 48 / EC ( kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg ) for standard - specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly